

Amlovie®

amlodipine

POSODOLOGY

The initial recommended dosage is 5 mg once daily.

This dose may be increased up to 10 mg once daily.

Adjust the dosage according to the blood pressure goals. In general, wait 7 to 14 days between the titration steps. However, if the clinical situation justifies it, it is possible to titrate more quickly, as long as the patient is frequently evaluated.

It is preferable to take **AMLOVIE®** every day at the same time with a glass of water.

Reducing the blood pressure reduces the risk of fatal and non-fatal cardiovascular events, mainly cerebral vascular accidents and myocardial infarctions.

Take your patients to heart

Relax the vessels...

... to reduce blood pressure

... to improve blood supply to the heart muscle

For information about our other products, please visit www.dafrapharma.com and create your personal account.



Setting the standard
www.dafrapharma.com

Amlovie®

amlodipine




Blood pressure Angina



For the full SMPC, please scan this QR code.

The golden standard calcium antagonist



Relax the vessels

... to reduce blood pressure

... to improve blood supply to the heart muscle

High-quality European calcium antagonist

AT A VERY ACCESSIBLE PRICE

3FIAMLOE 2024



Setting the standard
www.dafrapharma.com

Amlovie®

amlodipine

VASOCONSTRICTION

increase in blood pressure
HIGH BLOOD PRESSURE :
a silent killer

reduction of distal blood flow
and oxygenation
ANGINA:
a harbinger of a heart attack

Amlovie®



AMLOVIE® fights
high blood pressure

AMLOVIE® treats and/or
prevents angina


Take your patients to heart

Relax the vessels...

... to reduce blood pressure

... to improve blood supply to the heart muscle

The effect of amlodipine on the blood pressure after 12 weeks of treatment



Lacourcière Y et al Blood Press Monit. 1998;3:295-302

In black hypertensive patients of African origin (without type 2 diabetes), amlodipine is recommended as the initial anti-hypertensive treatment.

Brit J Clinical Pharma, Volume: 87, Issue: 10, Pages: 3271-3736

Lowering blood pressure reduces the risk of fatal and non-mortal cardiovascular events, principally strokes and myocardial infarction.

if required by the clinical situation

AMLOVIE®

can be combined without constraint
with other classes of blood pressure medication
or anti-anginal agents

AMLOVIE® is a medicinal product dispensed by prescription.

For the complete SMPC, please consult www.dafrapharma.com and create your personal account on our website.