

How to take CO-ARTESIANE®?

4 mg d'artemether/kg in combination with lumefantrine
once a day (every 24 hours)

Simplified posology
weight (kg) + 1/2 weight (kg)

= Amount of ml to take once a day
during 3 consecutive days

CO-ARTESIANE® :

- Precise weight-based dosage
- Easy to take thanks to a pleasant coconut flavour
- One bottle is enough for a complete treatment of children up to 30 kg



Production quality according the highest European standards
WIDE AVAILABILITY AT VERY COMPETITIVE PRICES

For information about our other products,
please visit www.dafrapharma.com
and create your personal account.



SCAN

CO-ARTESIANE®

artemether & lumefantrine



**THE REFERENCE SUSPENSION FOR
CHILDREN (< 30 kg) IN THE ANTI-MALARIAL MARKET**

powder for 60 ml
180 mg β -artemether
1080 mg lumefantrine



powder for 120 ml
360 mg β -arthéméther
2160 mg luméfántrine

**COMBINATION THERAPY THAT UNITES
TOLERANCE AND EFFICACY**

With a very pleasant coconut taste



Setting the Standard

www.dafrapharma.com

CO-ARTESIANE®

artemether & lumefantrine



- **Glass bottle of 60 ml and 120 ml**
 - Optimal protection of the active substance
- **Very fine powder for the preparation of very homogeneous and correct drinkable suspension**
 - After reconstitution, each ml contains 3 mg artemether and 18 mg of lumefantrine
 - Allow correct weight-based dosing
- **Excellent quality (manufactured to European standards)**

After reconstitution of the suspension **CO-ARTESIANE®** remains stable for 28 days at an ambient temperature below 30° and protected from light*.

CO-ARTESIANE®

UNSURPASSED EFFICACY

In clinical studies, the clinical and parasitological cure rates were as high as 100%

Principal author	Study location	% of cure
Salah 2006	Sudan	100%
Juma 2008	Kenya	J 14 : 98,4%
Chanda 2006	Zambia	J 28 : 100%

* La stabilité est démontrée par le laboratoire indépendant SGs - S 107517

1. Salah M.T. et al, Efficacy of artémether-lumfantrine suspension in the treatment of uncomplicated Plasmodium falciparum malaria among children under 5 years in eastern Sudan, Tropical Journal of Pharmaceutical Research, 5 (1): 551-555, 2006.
2. Chanda P. et al, Assessment of the therapeutic efficacy of a paediatric formulation of artémetherlumefantrine for the treatment of uncomplicated Plasmodium falciparum in children in Zambia, Malaria Journal, 5:75, 2006.
3. Juma E.A. et al, A randomized, open-label, comparative efficacy trial of artémether-lumefantrine suspension versus artémether-lumefantrine tablets for treatment of uncomplicated Plasmodium falciparum malaria in children in western Kenya, Malaria Journal, 7: 262, 2008.

For the full SMPC, please scan this QR code.



SCAN

CO-ARTESIANE® versus other AL combinations

	CO-ARTESIANE®	Other AL suspensions	AL tablets
Presentation	Transparent glass bottle available in 2 volume sizes	plastic	-
Production	European	?	?
Structure of the powder	Very fine - allows a homogeneous suspension	?	-
Taste	Very pleasant coconut taste	?	?
Stability after reconstitution	4 weeks	?	-
Number of intakes per 24h	1 unique intake per 24h	2 intakes per 24 h	2 intakes per 24 h
Weight-based posology	Precise	?	highly variable

- 2 sizes of bottles to avoid unnecessary waste
- Once daily intake for better adherence and correct dosage
- The pleasant taste makes the product easier to take
- Suspension provides consistent dosing without too much fluctuation
- Production in accordance with European GMP is a guarantee of quality

The weight-based dosage of CO-ARTESIANE® is more in line with the recommendations

