

# Ticasse®

amoxicillin & clavulanic acid

**TICASSE®** is used in the treatment of infections caused by Gram (+) and Gram (-) bacteria

Dosed correctly and taken for a sufficient period of time **TICASSE®** is very useful in the treatment of the following infections

- **ENT infections:**  
Angina - Tonsillitis / Pharyngitis / Laryngitis  
Otitis media; Sinusitis
- **Infections of the lower respiratory tract: bronchitis - pneumonia**
- **Skin and soft tissue infections:**  
Cellulitis; Animal bites
- **Dental abscess**
- **Infections of the urinary tract and genital tract (with the exception of prostatitis);** Cystitis, urethritis, pyelonephritis
- **Gastrointestinal infections:** typhoid fever, paratyphoid, shigellosis
- **Bone and joint infections, in particular osteomyelitis**

## ADMINISTRATION

### Children aged 6 to 12

562 sachets: 2 to 3 sachets a day (depending on severity)

### 40 kg and over (older children - adults)

sachets 1125: 2 to 3 sachets a day (depending on severity)

**Packaging allows correct treatment.**

**TICASSE® is also available**

- as suspension 200/28 mg and 400/57 mg
- in tablet form 600/125 and 875/125 mg

To consult the SMPC,  
please visit [www.dafrapharma.com](http://www.dafrapharma.com)  
and create your personal account on the site.



# Ticasse®

amoxicillin & clavulanic acid



The winning combination:  
amoxicillin, clavulanic acid  
and the quality of Dafra!

AVAILABLE IN SACHET FORM



**1000 MG/125 MG**  
B/15

**500 MG/62,5 MG**  
B/15

Only Ticasse® sachets 1000 mg is available in pharmacies.



Setting the standard  
[www.dafrapharma.com](http://www.dafrapharma.com)

# Ticasse®

amoxicillin & clavulanic acid



## Advantages of TICASSE®

- bactericidal antibiotic with a broad spectrum of activity
- protection of amoxicillin against beta-lactamases
- a reasonable choice, even before cultures and sensitivity tests have been carried out
- forms adapted to patients (suspension - tablets - sachets)
- the packaging is designed to be easy to use
- can be used during pregnancy and breast-feeding

2 to 3 sachets per day depending on severity

**Children (aged 6 to 12)** : Sachets 562

**40 kg and over (older children - adults)** : Sachets 1125

Produced to the strictest European standards

DAFRA quality guaranteed



## Sachets:

Easy to reconstitute

Excellent stability

Dissolve in a glass of water just before taking

### TICASSE® is also available

- as suspension 200/28 mg and 400/57 mg
- in tablet form 600/125 and 875/125 mg

**All packaging allows for correct therapy.**

**TICASSE®: The winning alliance**  
**The synergy that brings efficiency**

To consult the SMPC, please visit [www.dafrapharma.com](http://www.dafrapharma.com)  
and create your personal account on the site.